

Product datasheet for **TP328521**

POU6F2 (NM_001166018) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Homo sapiens POU class 6 homeobox 2 (POU6F2), transcript variant 2, 20 µg

Species: Human

Expression Host: HEK293T

Expression cDNA >RC228521 representing NM_001166018

Clone or AA **Red**=Cloning site **Green**=Tags(s)

Sequence:

MSALLQDPMIAGQVSKPLLSVRSEMNAELRGEDKAATSDSELNEPLLAPVESNDSSEDTPSKLFGARGNPA
LSDPGTPDQHQASQTHPPFPVGPQPLLTAQQLASAVAGVMPGGPPALNQIPILIPFMAGQLGGQQGLVLT
LPTANLTNIQGLVAAAAAGGIMTLPLQNLQATSSLNSQLQQQLQLLQQQQQQQQQPPSTNQHPQPAPQ
APSQSQQQLQPTPPQQPPASQQPPAPTSQLQQAPQPQHQPHSHSQNQNPSPPTQQSSSPQKPSQSP
GHGLPSPLTPPNPLQLVNNPLASQAAAAAAMSSIASQAFGNALSSLQGVGTGQLVTNAQGQIIGTIPLM
PNPGPSSQAASGTQGLQVQPITPQLLTNAQGQIIATVIGNQILPVINTQGITLSPKPGQQLHQPSQTSV
GQAASQGNLLHLAHSQASMSQSPVRQASSSSSSSSSSSALSVGQLVSNPQTAAGEVDGVNLEEIREFAKA
FKIRRLSLGLTQTQVGQALSATEGPAYSQSAICRFEKLDITPKSAQKIKPVLERWMAEAEARHRAGMQNL
TEFIGSEPSKKRKRRTSFTPQALEILNAHFENKTHPSGQEMTEIAEKLNVDREVVRVWFCNKRQALKNTI
KRLKQHEPATAVPLEPLTDSLEENS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 69.1 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: NULL or Add: Recombinant proteins was captured through anti-DDK affinity column followed by conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.


Storage: Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_001159490
Locus ID:	11281
UniProt ID:	P78424
Cytogenetics:	7p14.1
RefSeq ORF:	1965
Synonyms:	RPF-1; WT5; WTSL
Summary:	This gene encodes a member of the POU protein family characterized by the presence of a bipartite DNA binding domain, consisting of a POU-specific domain and a homeodomain, separated by a variable polylinker. The DNA binding domain may bind to DNA as monomers or as homo- and/or heterodimers, in a sequence-specific manner. The POU family members are transcriptional regulators, many of which are known to control cell type-specific differentiation pathways. This gene is a tumor suppressor involved in Wilms tumor (WT) predisposition. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, Oct 2009]
Protein Families:	Transcription Factors

Product images:



Coomassie blue staining of purified POU6F2 protein (Cat# TP328521). The protein was produced from HEK293T cells transfected with POU6F2 cDNA clone (Cat# [RC228521]) using MegaTran 2.0 (Cat# [TT210002]).