

## Product datasheet for TP502195

### Lin7b (NM\_011698) Mouse Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Mouse lin-7 homolog B (C. elegans) (Lin7b), with C-terminal MYC/DDK tag, expressed in HEK293T cells, 20ug
Species:	Mouse
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>MR202195 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)
	MAALVEPLGLERDVSRVAVELLERLQRSGELPPQKLQALQRVLQSRFCSAIREVYEQLYDTLDTGSAEVR AHATAKATVAAFTASEGHAHPRVELPKTDEGLGFNIMGGKEQNSPIYSRVIPGGVADRHGGLKRGDQL LSVNGVSVEGEHHEKAVELLKAAQGSVKLVVRYTPRVLEEMEARFEKMRSARRRQQHHSYTSLESRG
	<b>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</b>
Tag:	C-MYC/DDK
Predicted MW:	22.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_035828</a>
Locus ID:	22342
UniProt ID:	<a href="#">O88951</a>
RefSeq Size:	746
Cytogenetics:	7 B3



[View online »](#)

RefSeq ORF: 624

Synonyms: LIN-7B; MALS-2; Veli2

**Summary:** Plays a role in establishing and maintaining the asymmetric distribution of channels and receptors at the plasma membrane of polarized cells. Forms membrane-associated multiprotein complexes that may regulate delivery and recycling of proteins to the correct membrane domains. The tripartite complex composed of LIN7 (LIN7A, LIN7B or LIN7C), CASK and APBA1 may have the potential to couple synaptic vesicle exocytosis to cell adhesion in brain. Ensures the proper localization of GRIN2B (subunit 2B of the NMDA receptor) to neuronal postsynaptic density and may function in localizing synaptic vesicles at synapses where it is recruited by beta-catenin and cadherin. Required to localize Kir2 channels, GABA transporter (SLC6A12) and EGFR/ERBB1, ERBB2, ERBB3 and ERBB4 to the basolateral membrane of epithelial cells. May increase the amplitude of ASIC3 acid-evoked currents by stabilizing the channel at the cell surface.[UniProtKB/Swiss-Prot Function]