

Product datasheet for TP503582

Med4 (NM_026119) Mouse Recombinant Protein

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Mouse mediator complex subunit 4 (Med4), with C-terminal MYC/DDK tag, expressed in HEK293T cells, 20ug
Species:	Mouse
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>MR203582 protein sequence Red=Cloning site Green=Tags(s)
	MAASSSGEKEKERMGGVSGMAGLGSTRERLLSALEDLEVLSRELIEMLAISRNQKLLQLEEENQVLELLI HRDGDFQELMKLALNQGKVHHEMQALEKEVEKRDSDIQQLQKQLKEAEQILATAVYQAKEKLKSIEKARK GAISSEEIIKYAHRISASNAVCAPLTWVPGDPRRPYPTDLEMRSGLLGQMNNPSTSGVNGHLPGDALAAG RLPDVLAPQYPWQSNDMSVNMLPPNHSSDFLLEPPGHNKENEDDVEVMSTDSSSSSSDSD
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-MYC/DDK
Predicted MW:	29.8 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP 080395</u>
Locus ID:	67381
UniProt ID:	<u>Q9CQA5</u>
RefSeq Size:	1304



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Med4 (NM_026119) Mouse Recombinant Protein – TP503582
Cytogenetics:	14 D3
RefSeq ORF:	813
Synonyms:	2410046H15Rik; DRIP36; HSPC126; TRAP36; Vdirp; Vdrip
Summary:	Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors (By similarity). [UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US