

Product datasheet for TP505252

Psmc5 (BC030840) Mouse Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Mouse protease (prosome, macropain) 26S subunit, ATPase 5 (cDNA clone MGC:31044 IMAGE:3994523), complete cds, with C-terminal MYC/DDK tag, expressed in HEK293T cells, 20ug
Species:	Mouse
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>MR205252 protein sequence Red =Cloning site Green =Tags(s) MALDGPEQMELEEGKAGSGLRQYYLSKIEELQLIVNDKSQNLRRLLQAQRNELNAKVRLREELQLLQEQG SYVGEVVRAMDKKKVLVKVHPEGKFVVDVDKNIDINDVTPNCRVALRNDSTYTLHKILPNKVDPLVSLMMV EKVPDSTYEMIGGLDKQIKEIKEVIELPVKHPELFEALGIAQPKGVLVLYGPPGTGKTLARAVAHHTDCT FIRVSGSELVQKFIGEGARMVRELFVMAREHAPSIIFMDEIDSIGSSRLEGGSGGDSEVQRTMLELLNQL DGFEATKNIKVIMATNRIDILDSALLRPGRIDRKIEFPPPNEEVCAGGAWRSSGYGDSAGLRAFFSYP TR TRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-MYC/DDK
Predicted MW:	38.8 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
Locus ID:	19184
UniProt ID:	<u>P62196</u>
RefSeq Size:	1415


[View online »](#)

Cytogenetics:	11 E1
RefSeq ORF:	1044
Synonyms:	mSUG1
Summary:	<p>Component of the 26S proteasome, a multiprotein complex involved in the ATP-dependent degradation of ubiquitinated proteins. This complex plays a key role in the maintenance of protein homeostasis by removing misfolded or damaged proteins, which could impair cellular functions, and by removing proteins whose functions are no longer required. Therefore, the proteasome participates in numerous cellular processes, including cell cycle progression, apoptosis, or DNA damage repair. PSMC5 belongs to the heterohexameric ring of AAA (ATPases associated with diverse cellular activities) proteins that unfolds ubiquitinated target proteins that are concurrently translocated into a proteolytic chamber and degraded into peptides.[UniProtKB/Swiss-Prot Function]</p>