

Product datasheet for TP506033

Sav1 (NM_022028) Mouse Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Mouse salvador family WW domain containing 1 (Sav1), with C-terminal MYC/DDK tag, expressed in HEK293T cells, 20ug
Species:	Mouse
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	<p>>MR206033 protein sequence</p> <p>Red=Cloning site Green=Tags(s)</p> <p>MLSRKKTKNEVSKPAEVQGKYVKKETSPLLRNLMPSFIRHGPTIPRRTDCLCPDSSATAFASASGDGIVSR NQSFLRTAIQRTPEVMRRESHRLSAPSYLVRLADVPRECGSSQSFLTENVFAVENGDSGSRYFFSDNF FDGQRRRPLGDRAQEDYRYEYNHDLFQRMPQSQGRHTSGIGRVTATSLGNLTNHGSEDLPLPGWSV DW TMRGRKYYIDHNTNTTHWSHPLERGLPPGWVERVESSEFGTYVDHTNKRAQYRHPCAPSVPRYDQPPP I TYQPQQTERNQSLVPANPYHTAEIPDWLQVYARAPVKYDHILKWELFQLADLDTYQGMLKLLFMKELE Q IVKLYEAYRQALLTELENRKQRQQWYAQQHGKTFLS</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-MYC/DDK
Predicted MW:	44.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.


[View online »](#)

RefSeq: [NP_071311](#)

Locus ID: 64010

UniProt ID: [Q8VEB2](#)

RefSeq Size: 2524

Cytogenetics: 12 C2

RefSeq ORF: 1158

Synonyms: 1700040G09Rik; Salv; Sav; WW45; Wwp3; Wwp4

Summary: Regulator of STK3/MST2 and STK4/MST1 in the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein STK3/MST2 and STK4/MST1, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Phosphorylation of YAP1 by LATS1/2 inhibits its translocation into the nucleus to regulate cellular genes important for cell proliferation, cell death, and cell migration. SAV1 is required for STK3/MST2 and STK4/MST1 activation and promotes cell-cycle exit and terminal differentiation in developing epithelial tissues. Plays a role in centrosome disjunction by regulating the localization of NEK2 to centrosomes, and its ability to phosphorylate CROCC and CEP250. In conjunction with STK3/MST2, activates the transcriptional activity of ESR1 through the modulation of its phosphorylation (By similarity). [UniProtKB/Swiss-Prot Function]