

Product datasheet for TP506686

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cpa4 (NM_027926) Mouse Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Mouse carboxypeptidase A4 (Cpa4), with C-terminal MYC/DDK

tag, expressed in HEK293T cells, 20ug

Species: Mouse Expression Host: HEK293T

Expression cDNA Clone >MR206686 representing NM_027926 or AA Sequence: Red=Cloning site Green=Tags(s)

MKWLLFFGALIGAGICGRDKFFGDQVFRINVRNGDEIRKLTELVNSDHLKLSVWKSPSTFDRPVDILVPS VSLLPVKSFLKSQGLDYSVTIEDLQALLDNEDEEMQHNEGIERSGDFNYGAYHPLEAIYHEMDSIATDFP ELVSRVKIGETFEKRPMYVLKFSTGGGKKRPAIWLNAGIHAREWISQATAIWTARKIVTDYKKDPAITSI LKKVDIFLLPVANPDGYVYTQSQNRLWRKTRSRNPGSRCVGADPNRNWNASFAGEGTSDNPCSEVYHGSH PNSEVEVKSVVDFIQKHGNFKCFIDLHSYSQLLMYPYGYTVKKAPDAEELDDVARNAAQALASLSGTKYR VGPTCTTVYPASGSSVDWAYDNGIKYAFTFELRDTGYYGFLLPASQIIPTAEETWLGLKTIMEHVRDHLY

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-MYC/DDK
Predicted MW: 47.8 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C after receiving vials.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: <u>NP 082202</u>

 Locus ID:
 71791

 UniProt ID:
 Q6P8K8



ORÏGENE

Cpa4 (NM_027926) Mouse Recombinant Protein - TP506686

RefSeq Size: 2061

Cytogenetics: 6 A3.3 RefSeq ORF: 1260

Synonyms: 1110019K20Rik; AV009555

Summary: This gene encodes a member of the carboxypeptidase A family of zinc metalloproteases that

could be involved in the histone hyperacetylation pathway. The encoded preproprotein undergoes proteolytic processing that removes the N-terminal activation peptide to generate a functional enzyme. This gene is located in a cluster of carboxypeptidase genes on chromosome

6. [provided by RefSeq, Jul 2016]