

## Product datasheet for **TP508608**

### Cct4 (NM\_009837) Mouse Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Mouse chaperonin containing Tcp1, subunit 4 (delta) (Cct4), with C-terminal MYC/DDK tag, expressed in HEK293T cells, 20ug
Species:	Mouse
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>MR208608 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MPENVASRSGAPTAGPGSRGKSAYQDRDKPAQIRFSNISAACAVADAIRTSLGPKGMDKMIQDGKGDVTI  
TNDGATILKQMQLVHPAARMLVELSKAQDIEAGDGTTSVIIAGSLLDSCTKLLQKGIHPTIIESEFQKA  
LEKGLEILTDMSRPVQLSDRETLNLSATTSLNSKVVSQYSSLLSPMSVNAVMMKVIDPATATSVDLRDIKI  
VKKLGGTIDDCELVGLVLTQKVANSGITRVEKAKIGLIQFCLSAPKTDMDNQIVVSDYAQMDRVLRER  
AYILNLVKQIKKTGCNVLIIQKSILRDALSDLALHFLNKMIMVVKDVEREDIEFICKTIGTKPVAHIDQ  
FTADMLGSAELAEVSLNLSGKLFKITGCTSPGKTIVVIRGNSNKLVIIEAERSIHDALCVIRCLVKKRA  
LIAGGGAPEIELRLTEYSRTLSGMESYCVRAFADAMEVIPSTLAENAGLNPISTVTELRNRHAQGEKT  
TGINVRKGGISNILEEMVVQPLLVSVALTLATETVRSILKIDDVWNR

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

Tag:	C-MYC/DDK
Predicted MW:	58.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_033967</a>



[View online »](#)

<b>Locus ID:</b>	12464
<b>UniProt ID:</b>	<a href="#">P80315</a> , <a href="#">Q564F4</a>
<b>RefSeq Size:</b>	1966
<b>Cytogenetics:</b>	11 14.25 cM
<b>RefSeq ORF:</b>	1620
<b>Synonyms:</b>	2610204B21Rik; A45; C78323; Cctd
<b>Summary:</b>	Component of the chaperonin-containing T-complex (TRiC), a molecular chaperone complex that assists the folding of proteins upon ATP hydrolysis. The TRiC complex mediates the folding of WRAP53/TCAB1, thereby regulating telomere maintenance. As part of the TRiC complex may play a role in the assembly of BBSome, a complex involved in ciliogenesis regulating transports vesicles to the cilia. The TRiC complex plays a role in the folding of actin and tubulin.[UniProtKB/Swiss-Prot Function]