

Product datasheet for TP523421

Whamm (NM_001004185) Mouse Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Mouse WAS protein homolog associated with actin, golgi membranes and microtubules (Whamm), with C-terminal MYC/DDK tag, expressed in HEK293T cells, 20ug
Species:	Mouse
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>MR223421 representing NM_001004185 Red=Cloning site Blue=ORF Green=Tags(s) GACGTTGTATACGACTCCTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA
Tag:	C-MYC/DDK
Predicted MW:	89.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_001004185
Locus ID:	434204
UniProt ID:	Q571B6



[View online »](#)

RefSeq Size: 3069

Cytogenetics: 7 D3

RefSeq ORF: 2379

Synonyms: BB081391; mKIAA1971; Whdc1

Summary: Acts as a nucleation-promoting factor (NPF) that stimulates Arp2/3-mediated actin polymerization both at the Golgi apparatus and along tubular membranes. Involved as a regulator of Golgi positioning and morphology. Its activity in membrane tubulation requires F-actin and interaction with microtubules. Proposed to use coordinated actin-nucleating and microtubule-binding activities of distinct WHAMM molecules to drive membrane tubule elongation; when MT-bound can recruit and remodel membrane vesicles but is prevented to activate the Arp2/3 complex. Required for RhoD-dependent actin reorganization such as in cell adhesion and cell migration (By similarity). Participates in vesicle transport between the reticulum endoplasmic and the Golgi complex.[UniProtKB/Swiss-Prot Function]