

Product datasheet for TP700139

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Eph receptor A3 (EPHA3) (NM_005233) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of human EPH receptor A3 (EPHA3), transcript variant 1, with C-

terminal DDK/His tag, expressed in human cells, 20 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone

or AA Sequence:

A DNA sequence from TrueORF clone, RC600039, encoding the region (Glu21-Gln541) of

human EPHA3

Tag: C-DDK/His

Predicted MW: 62 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: PBS, pH 7.4, 10% glycerol

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005224

Locus ID: 2042

UniProt ID: <u>P29320</u>, <u>A0A140VJJ0</u>, <u>Q6P4R6</u>

RefSeq Size: 5837 Cytogenetics: 3p11.1 RefSeq ORF: 1623

Synonyms: EK4; ETK; ETK1; HEK; HEK4; TYRO4





Summary:

This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. This gene encodes a protein that binds ephrin-A ligands. Two alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, Protein Kinase, Secreted Protein, Transmembrane

Protein Pathways: Axon guidance

Product images:

