

# Product datasheet for TP700260

# PD-L1 (Cd274) (NM\_021893) Mouse Recombinant Protein

## **Product data:**

#### **Product Type: Recombinant Proteins Description:** Purified recombinant protein of mouse PD-L1 / CD274 (PD-L1 / CD274), with C-terminal Fc tag, expressed in human cells, 20 µg Species: Mouse **Expression Host:** HEK293T **Expression cDNA Clone** A DNA sequence from TrueORF clone, MR203953, encoding the region (Phe19 – Thr238) of or AA Sequence: mouse CD274 C-Fc Tag: Predicted MW: 50 kDa **Concentration:** >0.05 µg/µL as determined by microplate BCA method > 80% as determined by SDS-PAGE and Coomassie blue staining **Purity: Buffer:** PBS, pH 7.4, 10% glycerol Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. Store at -80°C. Storage: Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. **RefSeq:** NP 068693 Locus ID: 60533 **UniProt ID:** Q9EP73 3653 **RefSeq Size:** Cytogenetics: 19 C1 **RefSeq ORF:** 870 Synonyms: A530045L16Rik; B7h1; PD-; Pdcd1l; Pdcd1l1; Pdcd1lg1; Pdl1



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### **CRIGENE** PD-L1 (Cd274) (NM\_021893) Mouse Recombinant Protein – TP700260

#### Summary:

The protein encoded by this gene is an immune inhibitory receptor ligand that is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Mice deficient for this gene display a variety of phenotypes including decreased allogeneic fetal survival rates and severe experimental autoimmune encephalomyelitis. [provided by RefSeq, Sep 2015]

### **Product images:**



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US