

Product datasheet for TP701241

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL5 (NM_000879) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human interleukin 5 (colony-stimulating factor, eosinophil)

(IL5), with C-terminal His tag, secretory expressed in HEK293 cells, 50ug

Species: Human
Expression Host: HEK293T

Expression cDNA Clone

or AA Sequence:

A DNA sequence from TrueORF clone, RC209681, encoding the full-length of IL5

Tag: C-HIS

Predicted MW: 13.97 kDa

Concentration: >0.05 µg/µL as determined by microplate Bradford method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: PBS, pH 7.4, 10% glycerol

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C after receiving vials.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000870

 Locus ID:
 3567

 UniProt ID:
 P05113

 RefSeq Size:
 816

 Cytogenetics:
 5q31.1

 RefSeq ORF:
 402

Synonyms: EDF; IL-5; TRF





Summary:

This gene encodes a cytokine that acts as a growth and differentiation factor for both B cells and eosinophils. The encoded cytokine plays a major role in the regulation of eosinophil formation, maturation, recruitment and survival. The increased production of this cytokine may be related to pathogenesis of eosinophil-dependent inflammatory diseases. This cytokine functions by binding to its receptor, which is a heterodimer, whose beta subunit is shared with the receptors for interleukine 3 (IL3) and colony stimulating factor 2 (CSF2/GM-CSF). This gene is located on chromosome 5 within a cytokine gene cluster which includes interleukin 4 (IL4), interleukin 13 (IL13), and CSF2. This gene, IL4, and IL13 may be regulated coordinately by long-range regulatory elements spread over 120 kilobases on chromosome 5q31. [provided by RefSeq, Jul 2013]


Protein Families:

Druggable Genome, Secreted Protein

Protein Pathways:

Allograft rejection, Asthma, Autoimmune thyroid disease, Cytokine-cytokine receptor interaction, Fc epsilon RI signaling pathway, Hematopoietic cell lineage, Jak-STAT signaling pathway, T cell receptor signaling pathway

Product images:



Purified recombinant protein IL5 was analyzed by SDS-PAGE gel and Coomossie Blue Staining.