

Product datasheet for TP710013

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD36 (NM_000072) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human CD36 molecule (thrombospondin receptor) (CD36),full

length, with C-terminal polyhistidine tag, expressed in sf9 cell

Species: Human

Expression Host: Sf9

Expression cDNA Clone

or AA Sequence:

A DNA sequence from TrueORF clone, RC203254, encoding human full-length CD36

Tag: C-His

Predicted MW: 53 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 20 mM 1 x PBS, pH 7.6, 150 mM NaCl, 20% glycerol

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000063

Locus ID: 948

UniProt ID: P16671

RefSeq Size: 2108

Cytogenetics: 7q21.11

RefSeq ORF: 1416

Synonyms: BDPLT10; CHDS7; FAT; GP3B; GP4; GPIV; PASIV; SCARB3





Summary:

The protein encoded by this gene is the fourth major glycoprotein of the platelet surface and serves as a receptor for thrombospondin in platelets and various cell lines. Since thrombospondins are widely distributed proteins involved in a variety of adhesive processes, this protein may have important functions as a cell adhesion molecule. It binds to collagen, thrombospondin, anionic phospholipids and oxidized LDL. It directly mediates cytoadherence of Plasmodium falciparum parasitized erythrocytes and it binds long chain fatty acids and may function in the transport and/or as a regulator of fatty acid transport. Mutations in this gene cause platelet glycoprotein deficiency. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Feb 2014]

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Adipocytokine signaling pathway, ECM-receptor interaction, Hematopoietic cell lineage, PPAR

signaling pathway

Product images:

