

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TP710029

Thymidylate Synthase (TYMS) (NM_001071) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins	
Description:	Recombinant protein of human thymidylate synthetase (TYMS), full length, with N-terminal polyhistidine tag, expressed in sf9 cells.	
Species:	Human	
Expression Host:	Sf9	
Expression cDNA Clone or AA Sequence:	A DNA sequence from TrueORF clone, RC204814, encoding human full-length TYMS	
Tag:	N-His	
Predicted MW:	36 kDa	
Concentration:	>0.05 μ g/ μ L as determined by microplate BCA method	
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining	
Buffer:	50 mM Tris-HCl, pH 8.0, 150 mM NaCl, 10% glycerol	
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.	
Storage:	Store at -80°C.	
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	
RefSeq:	<u>NP 001062</u>	
Locus ID:	7298	
UniProt ID:	<u>P04818</u>	
RefSeq Size:	1536	
Cytogenetics:	18p11.32	
RefSeq ORF:	939	
Synonyms:	HST422; TMS; TS	



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Thymidylate Synthase (TYMS) (NM_001071) Human Recombinant Protein – TP710029	
Summary:	Thymidylate synthase catalyzes the methylation of deoxyuridylate to deoxythymidylate using, 10-methylenetetrahydrofolate (methylene-THF) as a cofactor. This function maintains the dTMP (thymidine-5-prime monophosphate) pool critical for DNA replication and repair. The enzyme has been of interest as a target for cancer chemotherapeutic agents. It is considered to be the primary site of action for 5-fluorouracil, 5-fluoro-2-prime-deoxyuridine, and some folate analogs. Expression of this gene and that of a naturally occurring antisense transcript, mitochondrial enolase superfamily member 1 (GeneID:55556), vary inversely when cell-growth progresses from late-log to plateau phase. Polymorphisms in this gene may be associated with etiology of neoplasia, including breast cancer, and response to chemotherapy. [provided by RefSeq, Aug 2017]	
Protein Familie	es: Druggable Genome	

Metabolic pathways, One carbon pool by folate, Pyrimidine metabolism

Protein Pathways:

Product images:

116 -	-
66 -	_
45 -	
35 -	_
25 -	_ 0
18 = 14 =	=

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US