

Product datasheet for TP710103

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Eph receptor A2 (EPHA2) (NM_004431) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human EPH receptor A2 (EPHA2), residues 24-537aa, with C-terminal

DDK tag, expressed in sf9, 20ug

Species: Human

Expression Host: Sf9

Expression cDNA Clone

or AA Sequence:

ne A DNA sequence from TrueORF clone, RC205725, encoding the region(Met-Ala24-Val537) of

Homo sapiens EPHA2

Tag: C-DDK

Predicted MW: 56.4 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 50 mM Tris-HCl, 100 mM glycine, pH 8.0, 10% glycerol

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 004422

Locus ID: 1969

UniProt ID: <u>P29317</u>, <u>A0A024QZA8</u>

RefSeq Size: 3963

Cytogenetics: 1p36.13

RefSeq ORF: 2928

Synonyms: ARCC2; CTPA; CTPP1; CTRCT6; ECK





Summary:

This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. This gene encodes a protein that binds ephrin-A ligands. Mutations in this gene are the cause of certain genetically-related cataract disorders.[provided by RefSeq, May 2010]

Protein Families: Druggable Genome, Protein Kinase, Transmembrane

Protein Pathways: Axon guidance

Product images:

