

Product datasheet for TP710249

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

VEGF Receptor 2 (KDR) (NM_002253) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human kinase insert domain receptor (a type III receptor

tyrosine kinase) (KDR), residues 834–1162 aa, with C-terminal DDK tag, expressed in sf9, 20ug

Species: Human

Expression Host: Sf9

Expression cDNA Clone

or AA Sequence:

A DNA sequence from TrueORF clone, RC219851, the region(Met-Leu834-Lys1162) of Homo

sapiens KDR

Tag: C-DDK

Predicted MW: 37.2 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 50 mM Tris-HCl, 100 mM glycine, pH 8.0, 10% glycerol

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 002244

Locus ID: 3791

UniProt ID: P35968

RefSeq Size: 6055

Cytogenetics: 4q12

RefSeq ORF: 4068

Synonyms: CD309; FLK1; VEGFR; VEGFR2





Summary:

Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation, survival, migration, tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are regulated by multiple factors, including Rab GTPase, P2Y purine nucleotide receptor, integrin alphaVbeta3, T-cell protein tyrosine phosphatase, etc.. Mutations of this gene are implicated in infantile capillary hemangiomas. [provided by RefSeq, May 2009]

Protein Families:

Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase, Transmembrane

Protein Pathways:

Cytokine-cytokine receptor interaction, Endocytosis, Focal adhesion, VEGF signaling pathway

Product images:

