

Product datasheet for TP720208XL

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IMPA1 (NM_001144878) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human inositol(myo)-1(or 4)-monophosphatase 1 (IMPA1), transcript

variant 2

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

Met1-Asp277

Tag: N-His

Predicted MW: 32.3 kDa

Concentration: lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

Endotoxin: < 0.1 EU per µg protein as determined by LAL test

Storage: Store at -80°C.

Stability: Stable for at least 3 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 001138350

Locus ID: 3612

UniProt ID: <u>P29218</u>, <u>A0A140V|L8</u>

Cytogenetics: 8q21.13

Synonyms: IMP; IMPA; MRT59



Summary:

This gene encodes an enzyme that dephosphorylates myo-inositol monophosphate to generate free myo-inositol, a precursor of phosphatidylinositol, and is therefore an important modulator of intracellular signal transduction via the production of the second messengers myoinositol 1,4,5-trisphosphate and diacylglycerol. This enzyme can also use myo-inositol-1,3-diphosphate, myo-inositol-1,4-diphosphate, scyllo-inositol-phosphate, glucose-1-phosphate, glucose-1-phosphate, fructose-1-phosphate, beta-glycerophosphate, and 2'-AMP as substrates. This enzyme shows magnesium-dependent phosphatase activity and is inhibited by therapeutic concentrations of lithium. Inhibition of inositol monophosphate hydroylosis and subsequent depletion of inositol for phosphatidylinositol synthesis may explain the anti-manic and anti-depressive effects of lithium administered to treat bipolar disorder. Alternative splicing results in multiple transcript variants encoding distinct isoforms. A pseudogene of this gene is also present on chromosome 8q21.13. [provided by RefSeq, Dec 2014]

Protein Families: Druggable Genome

Protein Pathways: Inositol phosphate metabolism, Metabolic pathways, Phosphatidylinositol signaling system

Product images:

