

Product datasheet for TP720266

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Inhibin beta C chain (INHBC) (NM_005538) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human inhibin, beta C (INHBC)

Species: Human
Expression Host: E. coli

Expression cDNA Clone

Gly237-Ser352

or AA Sequence:

,

Tag: N-His

Predicted MW: 14.8 kDa

Concentration: lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

Endotoxin: < 0.1 EU per μg protein as determined by LAL test

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not

recommended to reconstitute to a concentration less than 100 μ g/ml. Dissolve the lyophilized protein in 4mM HCl . Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Store at -80°C.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 005529

Locus ID: 3626
UniProt ID: P55103
Cytogenetics: 12q13.3
Synonyms: IHBC





Summary: This gene encodes a member of the TGF-beta (transforming growth factor-beta) superfamily

of proteins. The encoded preproprotein is proteolytically processed to generate a subunit of homodimeric and heterodimeric activin complexes. The heterodimeric complex may function in the inhibition of activin A signaling. Transgenic mice overexpressing this gene exhibit

defects in testis, liver and prostate. [provided by RefSeq, Aug 2016]

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Cytokine-cytokine receptor interaction, TGF-beta signaling pathway

Product images:

