

## **Product datasheet for TP720314**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Prostate Specific Antigen (KLK3) (NM 001030047) Human Recombinant Protein

**Product data:** 

**Product Type: Recombinant Proteins** 

Description: Recombinant protein of human kallikrein-related peptidase 3 (KLK3), transcript variant 3

Species: Human **HEK293 Expression Host:** 

**Expression cDNA Clone** 

or AA Sequence:

Ala18-Pro261

C-His Tag:

Predicted MW: 27.9 kDa **Concentration:** lot specific

**Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** Provided lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

**Endotoxin:** < 0.1 EU per µg protein as determined by LAL test

**Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

> lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Store at -80°C. Storage:

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

NP 001025218 RefSeq:

Locus ID: 354

**UniProt ID:** P07288

Cytogenetics: 19q13.33

Synonyms: APS; hK3; KLK2A1; PSA





**Summary:** 

Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. The gene is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. It encodes a single-chain glycoprotein, a protease which is synthesized in the epithelial cells of the prostate gland, and is present in seminal plasma. It is thought to function normally in the liquefaction of seminal coagulum, presumably by hydrolysis of the high molecular mass seminal vesicle protein. The serum level of this protein, called PSA in the clinical setting, is useful in the diagnosis and monitoring of prostatic carcinoma. Alternate splicing of this gene generates several transcript variants encoding different isoforms. [provided by RefSeq, Dec 2019]

**Protein Families:** 

Druggable Genome, Protease, Secreted Protein

**Protein Pathways:** 

Pathways in cancer, Prostate cancer

## **Product images:**

