

Product datasheet for **TP720428M**

CCL3L3 (NM_001001437) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human chemokine (C-C motif) ligand 3-like 3 (CCL3L3)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	Ala24-Ala93
Tag:	C-His
Predicted MW:	8.8 kDa
Concentration:	lot specific
Purity:	>95% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	Lyophilized from a 0.2 um filtered solution of 20mM PB,150mM NaCl,pH7.4.
Reconstitution Method:	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Storage:	Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Stability:	Stable for at least 6 months from date of receipt under proper storage and handling conditions.
RefSeq:	NP_001001437
Locus ID:	414062
UniProt ID:	P16619
RefSeq Size:	780
Cytogenetics:	17q12
RefSeq ORF:	279
Synonyms:	464.2; D17S1718; G0S19-2; LD78; LD78BETA; SCYA3L; SCYA3L1



[View online »](#)

Summary:

This gene is one of several cytokine genes that are clustered on the q-arm of chromosome 17. Cytokines are a family of secreted proteins that function in inflammatory and immunoregulatory processes. The protein encoded by this gene binds to several chemokine receptors, including chemokine binding protein 2 and chemokine (C-C motif) receptor 5 (CCR5). CCR5 is a co-receptor for HIV, and binding of this protein to CCR5 inhibits HIV entry. The copy number of this gene varies among individuals, where most individuals have one to six copies, and a minority of individuals have zero or more than six copies. There are conflicting reports about copy number variation of this gene and its correlation to disease susceptibility.[provided by RefSeq, Apr 2014]

Protein Families:

Druggable Genome

Protein Pathways:

Chemokine signaling pathway, Cytokine-cytokine receptor interaction