

Product datasheet for TP720439L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RTN4RL1 (NM 178568) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human reticulon 4 receptor-like 1 (RTN4RL1)

Species: Human **HEK293 Expression Host:**

Expression cDNA Clone

Cys25-Ala419

or AA Sequence:

C-His Tag:

Predicted MW: 45.5 kDa **Concentration:** lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Lyophilized from a 0.2 um filtered solution of 20mM PB,150mM NaCl,pH7.4.

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

> lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

17p13.3

RefSeq: NP 848663

Locus ID: 146760 **UniProt ID:** Q86UN2 RefSeq Size: 3183

RefSeq ORF: 1323

Cytogenetics:

Synonyms: NgR3; NGRH2





RTN4RL1 (NM_178568) Human Recombinant Protein - TP720439L

Summary:

Cell surface receptor. Plays a functionally redundant role in postnatal brain development and in regulating axon regeneration in the adult central nervous system. Contributes to normal axon migration across the brain midline and normal formation of the corpus callosum. Protects motoneurons against apoptosis; protection against apoptosis is probably mediated by MAG. Plays a role in inhibiting neurite outgrowth and axon regeneration via its binding to neuronal chondroitin sulfate proteoglycans. Binds heparin (By similarity). Like other family members, plays a role in restricting the number dendritic spines and the number of synapses that are formed during brain development (PubMed:22325200). Signaling mediates activation of Rho and downstream reorganization of the actin cytoskeleton (PubMed:22325200). [UniProtKB/Swiss-Prot Function]

Protein Families: Druggable Genome