

Product datasheet for TP720490

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Nectin 3 (NECTIN3) (NM 015480) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human poliovirus receptor-related 3 (PVRL3)

Species: Human **HEK293 Expression Host:**

Expression cDNA Clone

or AA Sequence:

Gly58-Cys366

C-His Tag: Predicted MW: 35 kDa **Concentration:** lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Lyophilized from a 0.2 um filtered solution of 20mM Tris,300mM NaCl,5% Trehalose,pH8.3.

Endotoxin: < 0.1 EU per µg protein as determined by LAL test

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

> lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 Storage:

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 056295

Locus ID: 25945 **UniProt ID:** Q9NQS3 **Cytogenetics:** 3q13.13

CD113; CDW113; NECTIN-3; PPR3; PRR3; PVRL3; PVRR3 Synonyms:





Summary: This gene encodes a member of the nectin family of proteins, which function as adhesion

molecules at adherens junctions. This family member interacts with other nectin-like proteins and with afadin, a filamentous actin-binding protein involved in the regulation of directional motility, cell proliferation and survival. This gene plays a role in ocular development involving the ciliary body. Mutations in this gene are believed to result in congenital ocular defects. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2011]

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Adherens junction, Cell adhesion molecules (CAMs)

Product images:

