

## **Product datasheet for TP720564L**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MAP3K12 binding inhibitory protein 1 (MBIP) (NM\_001144891) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human MAP3K12 binding inhibitory protein 1 (MBIP), transcript

variant 2

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

Met1-Pro344

Tag: N-His

**Predicted MW:** 42.5 kDa **Concentration:** lot specific

**Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** Lyophilized from a 0.2 um filtered solution of 20mM Tris-HCl, pH 8.0.

**Endotoxin:** < 0.1 EU per µg protein as determined by LAL test

**Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

**RefSeg:** NP 001138363

 Locus ID:
 51562

 UniProt ID:
 Q9NS73

 Cytogenetics:
 14q13.3

Summary: Inhibits the MAP3K12 activity to induce the activation of the JNK/SAPK pathway. Component

of the ATAC complex, a complex with histone acetyltransferase activity on histones H3 and

H4.[UniProtKB/Swiss-Prot Function]





## **Product images:**

