

Product datasheet for TP720614M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LTA (NM_000595) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human lymphotoxin alpha (TNF superfamily, member 1)

(LTA), transcript variant 2

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

Leu35-Leu205

Tag: Tag Free
Predicted MW: 18.8 kDa
Concentration: lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

Endotoxin: Endotoxin level is < 0.1 ng/μg of protein (< 1 EU/μg)

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 μ g/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Store at -80°C.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: <u>NP 000586</u>

Locus ID: 4049

UniProt ID: <u>P01374</u>, <u>Q5STV3</u>

RefSeq Size: 1423

Cytogenetics: 6p21.33

RefSeq ORF: 615

Synonyms: LT; TNFB; TNFSF1; TNLG1E





LTA (NM_000595) Human Recombinant Protein - TP720614M

Summary: The encoded protein, a member of the tumor necrosis factor family, is a cytokine produced

by lymphocytes. The protein is highly inducible, secreted, and forms heterotrimers with lymphotoxin-beta which anchor lymphotoxin-alpha to the cell surface. This protein also mediates a large variety of inflammatory, immunostimulatory, and antiviral responses, is involved in the formation of secondary lymphoid organs during development and plays a role in apoptosis. Genetic variations in this gene are associated with susceptibility to leprosy type 4, myocardial infarction, non-Hodgkin's lymphoma, and psoriatic arthritis. Alternatively spliced transcript variants have been observed for this gene. [provided by RefSeq, Jul 2012]

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Protein Pathways: Antigen processing and presentation, Cytokine-cytokine receptor interaction, Type I diabetes

mellitus