

# Product datasheet for TP720626M

## ICAM2 (NM\_000873) Human Recombinant Protein

### **Product data:**

#### **Product Type: Recombinant Proteins Description:** Purified recombinant protein of Human intercellular adhesion molecule 2 (ICAM2), transcript variant 5 Species: Human **Expression Host: HEK293 Expression cDNA Clone** Lys25-Gln223 or AA Sequence: C-His Tag: Predicted MW: 23.13 kDa **Concentration:** lot specific **Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining **Buffer:** Provided lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl Endotoxin: Endotoxin level is $< 0.1 \text{ ng/}\mu\text{g}$ of protein ( $< 1 \text{ EU/}\mu\text{g}$ ) **Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Storage: Store at -80°C. Stable for at least 6 months from date of receipt under proper storage and handling Stability: conditions. NP 000864 RefSeq: Locus ID: 3384 UniProt ID: P13598, Q6FHE2 1229 RefSeq Size: Cytogenetics: 17q23.3 825 **RefSeq ORF:** Synonyms: CD102



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	ICAM2 (NM_000873) Human Recombinant Protein – TP720626M
Summary:	The protein encoded by this gene is a member of the intercellular adhesion molecule (ICAM) family. All ICAM proteins are type I transmembrane glycoproteins, contain 2-9 immunoglobulin-like C2-type domains, and bind to the leukocyte adhesion LFA-1 protein. This protein may play a role in lymphocyte recirculation by blocking LFA-1-dependent cell adhesion. It mediates adhesive interactions important for antigen-specific immune response, NK-cell mediated clearance, lymphocyte recirculation, and other cellular interactions important for immune response and surveillance. Several transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul 2008]
Protein Familie Protein Pathwa	

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US