

Product datasheet for TP720634

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD46 (NM_153826) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human CD46 molecule, complement regulatory protein

(CD46), transcript variant d

Species: Human Expression Host: HEK293

Expression cDNA Clone

or AA Sequence:

Cys35-Asp328

Tag: C-His

Predicted MW: 33.83 kDa

Concentration: lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

Endotoxin: Endotoxin level is < 0.1 ng/μg of protein (< 1 EU/μg)

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 μ g/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Store at -80°C.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 722548

 Locus ID:
 4179

 UniProt ID:
 P15529

 RefSeq Size:
 3264

 Cytogenetics:
 1q32.2

RefSeq ORF: 1152

Synonyms: AHUS2; MCP; MIC10; TLX; TRA2.10





CD46 (NM_153826) Human Recombinant Protein - TP720634

Summary: The protein encoded by this gene is a type I membrane protein and is a regulatory part of the

complement system. The encoded protein has cofactor activity for inactivation of

complement components C3b and C4b by serum factor I, which protects the host cell from damage by complement. In addition, the encoded protein can act as a receptor for the Edmonston strain of measles virus, human herpesvirus-6, and type IV pili of pathogenic Neisseria. Finally, the protein encoded by this gene may be involved in the fusion of the spermatozoa with the oocyte during fertilization. Mutations at this locus have been

associated with susceptibility to hemolytic uremic syndrome. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jun 2010]

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Complement and coagulation cascades