

## Product datasheet for TP720695M

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **CLEC4E (NM 014358) Human Recombinant Protein**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Purified recombinant protein of Human C-type lectin domain family 4, member E (CLEC4E)

Species: Human
Expression Host: HEK293

**Expression cDNA Clone** 

Arg41-Leu219

or AA Sequence:

Tag: C-His

Predicted MW: 21.7 kDa

Concentration: lot specific

**Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

**Endotoxin:** Endotoxin level is < 0.1 ng/µg of protein (< 1 EU/µg)

**Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Store at -80°C.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

**RefSeq:** NP 055173

 Locus ID:
 26253

 UniProt ID:
 Q9ULY5

 RefSeq Size:
 2158

 Cytogenetics:
 12p13.31

RefSeq ORF: 657

Synonyms: CLECSF9; MINCLE





## CLEC4E (NM\_014358) Human Recombinant Protein - TP720695M

Summary: This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD)

superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. The encoded type II transmembrane protein is a downstream target of CCAAT/enhancer binding protein (C/EBP), beta (CEBPB) and may play a role in inflammation. Alternative splice variants have been described but their full-length sequence has not been

determined. This gene is closely linked to other CTL/CTLD superfamily members on

chromosome 12p13 in the natural killer gene complex region. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Transmembrane