

Product datasheet for TP720702M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SPINT2 (NM 021102) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human serine peptidase inhibitor, Kunitz type, 2 (SPINT2),

transcript variant a

Species: Human Expression Host: HEK293

Expression cDNA Clone

or AA Sequence:

Ala28-Lys197

Tag: C-His

Predicted MW: 20.22 kDa

Concentration: lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Lyophilized from a 0.2 um filtered solution of 20mM PB,150mM NaCl,pH8.0.

Endotoxin: Endotoxin level is < 0.1 ng/μg of protein (< 1 EU/μg)

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 066925

Locus ID: 10653

UniProt ID: <u>O43291</u>, <u>B4DLU1</u>

RefSeq Size: 1817

Cytogenetics: 19q13.2

RefSeq ORF: 756





SPINT2 (NM_021102) Human Recombinant Protein - TP720702M

Synonyms: DIAR3; HAI-2; HAI2; Kop; PB

Summary: This gene encodes a transmembrane protein with two extracellular Kunitz domains that

inhibits a variety of serine proteases. The protein inhibits HGF activator which prevents the formation of active hepatocyte growth factor. This gene is a putative tumor suppressor, and mutations in this gene result in congenital sodium diarrhea. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2009]

Protein Families: Transmembrane