

# Product datasheet for TP720733L

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# INSL4 (NM 002195) Human Recombinant Protein

#### **Product data:**

**Product Type: Recombinant Proteins** 

Description: Purified recombinant protein of Human insulin-like 4 (placenta) (INSL4)

Species: Human **HEK293 Expression Host:** 

**Expression cDNA Clone** 

or AA Sequence:

Ala26-Thr139

C-His Tag: Predicted MW: 13.6 kDa

**Concentration:** lot specific

**Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** Lyophilized from a 0.2 um filtered solution of 20mM Tris-HCl, 150mM NACl, pH 8.0.

**Endotoxin:** Endotoxin level is < 0.1 ng/µg of protein (< 1 EU/µg)

**Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

> lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 Storage:

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 002186

Locus ID: 3641

**UniProt ID:** Q14641

RefSeg Size: 617

**Cytogenetics:** 9p24.1

RefSeq ORF: 417

**EPIL; PLACENTIN** Synonyms:





### INSL4 (NM\_002195) Human Recombinant Protein - TP720733L

Summary: INSL4 encodes the insulin-like 4 protein, a member of the insulin superfamily. INSL4 encodes

a precursor that undergoes post-translational cleavage to produce 3 polypeptide chains, A-C, that form tertiary structures composed of either all three chains, or just the A and B chains.

Expression of INSL4 products occurs within the early placental cytotrophoblast and

syncytiotrophoblast. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Secreted Protein