

Product datasheet for **TP720768XL**

PCSK9 (NM_174936) Human Recombinant Protein

Product data:

| | |
|---------------------------------------|---|
| Product Type: | Recombinant Proteins |
| Description: | Purified recombinant protein of Human proprotein convertase subtilisin/kexin type 9 (PCSK9) |
| Species: | Human |
| Expression Host: | HEK293 |
| Expression cDNA Clone or AA Sequence: | Gln31-Gln692 |
| Tag: | C-His |
| Predicted MW: | 71.05 kDa |
| Purity: | >95% as determined by SDS-PAGE and Coomassie blue staining |
| Buffer: | Provided lyophilized from a 0.2 μ m filtered solution of 20 mM Tris-HCl, 150 mM NaCl |
| Endotoxin: | Endotoxin level is < 0.1 ng/ μ g of protein (< 1 EU/ μ g) |
| Storage: | Store at -80°C. |
| Stability: | Stable for at least 3 months from date of receipt under proper storage and handling conditions. |
| RefSeq: | NP_777596 |
| Locus ID: | 255738 |
| UniProt ID: | Q8NBP7 |
| RefSeq Size: | 3636 |
| Cytogenetics: | 1p32.3 |
| RefSeq ORF: | 2076 |
| Synonyms: | FH3; FHCL3; HCHOLA3; LDLCQ1; NARC-1; NARC1; PC9 |



[View online »](#)

Summary:

This gene encodes a member of the subtilisin-like proprotein convertase family, which includes proteases that process protein and peptide precursors trafficking through regulated or constitutive branches of the secretory pathway. The encoded protein undergoes an autocatalytic processing event with its prosegment in the ER and is constitutively secreted as an inactive protease into the extracellular matrix and trans-Golgi network. It is expressed in liver, intestine and kidney tissues and escorts specific receptors for lysosomal degradation. It plays a role in cholesterol and fatty acid metabolism. Mutations in this gene have been associated with autosomal dominant familial hypercholesterolemia. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2014]

Protein Families:

Secreted Protein