

Product datasheet for TP720892XL

DUT (NM_001025248) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins Description: Purified recombinant protein of Human deoxyuridine triphosphatase (DUT), nuclear gene encoding mitochondrial protein, transcript variant 1 Species: Human **Expression Host:** E. coli Met1-Asn164 **Expression cDNA Clone** or AA Sequence: Tag Free Tag: **Predicted MW:** 17.7 kDa **Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining **Buffer:** Provided lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl Endotoxin: Endotoxin level is < 0.1 ng/ μ g of protein (< 1 EU/ μ g) Storage: Store at -80°C. Stability: Stable for at least 3 months from date of receipt under proper storage and handling conditions. **RefSeq:** NP 001020419 Locus ID: 1854 UniProt ID: <u>P33316</u> **RefSeq Size:** 2146 Cytogenetics: 15q21.1 **RefSeq ORF:** 756 dUTPase Synonyms:



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| | DUT (NM_001025248) Human Recombinant Protein – TP720892XL |
|-------------------------------------|---|
| Summary: | This gene encodes an essential enzyme of nucleotide metabolism. The encoded protein forms a ubiquitous, homotetrameric enzyme that hydrolyzes dUTP to dUMP and pyrophosphate. This reaction serves two cellular purposes: providing a precursor (dUMP) for the synthesis of thymine nucleotides needed for DNA replication, and limiting intracellular pools of dUTP. Elevated levels of dUTP lead to increased incorporation of uracil into DNA, which induces extensive excision repair mediated by uracil glycosylase. This repair process, resulting in the removal and reincorporation of dUTP, is self-defeating and leads to DNA fragmentation and cell death. Alternative splicing of this gene leads to different isoforms that localize to either the mitochondrion or nucleus. A related pseudogene is located on chromosome 19. [provided by RefSeq, Jul 2008] |
| Protein Families Protein Pathway | |
| rioteniratiwa | |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US