

## Product datasheet for **TP720925XL**

### DNA polymerase delta p50 (POLD2) (NM\_006230) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Human polymerase (DNA directed), delta 2, regulatory subunit 50kDa (POLD2), transcript variant 2
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	Met1-Pro469
Tag:	C-His
Predicted MW:	52.3 kDa
Purity:	>95% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	Provided lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl
Endotoxin:	Endotoxin level is < 0.1 ng/µg of protein (< 1 EU/µg)
Storage:	Store at -80°C.
Stability:	Stable for at least 3 months from date of receipt under proper storage and handling conditions.
RefSeq:	<a href="#">NP_006221</a>
Locus ID:	5425
UniProt ID:	<a href="#">P49005</a> , <a href="#">A0A087WWF6</a>
RefSeq Size:	1648
Cytogenetics:	7p13
RefSeq ORF:	1407



[View online »](#)

<b>Summary:</b>	This gene encodes the 50-kDa catalytic subunit of DNA polymerase delta. DNA polymerase delta possesses both polymerase and 3' to 5' exonuclease activity and plays a critical role in DNA replication and repair. The encoded protein is required for the stimulation of DNA polymerase delta activity by the processivity cofactor proliferating cell nuclear antigen (PCNA). Expression of this gene may be a marker for ovarian carcinomas. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 5. [provided by RefSeq, Mar 2012]
<b>Protein Families:</b>	Stem cell - Pluripotency
<b>Protein Pathways:</b>	Base excision repair, DNA replication, Homologous recombination, Metabolic pathways, Mismatch repair, Nucleotide excision repair, Purine metabolism, Pyrimidine metabolism