

## Product datasheet for TP720987M

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Tnfrsf1a (NM\_011609) Mouse Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Purified recombinant protein of Mouse tumor necrosis factor receptor superfamily, member

1a (Tnfrsf1a)

Species: Mouse Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

lle22-Ala212

Tag: Tag Free
Predicted MW: 21.2 kDa
Concentration: lot specific

**Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

Endotoxin: Endotoxin level is < 0.1 ng/μg of protein (< 1 EU/μg)

**Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Store at -80°C.

**Stability:** Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

**RefSeq:** <u>NP 035739</u>

**Locus ID:** 21937

**UniProt ID:** P25118, Q3U479

RefSeq Size: 2186

**Cytogenetics:** 6 59.32 cM

RefSeg ORF: 1362

Synonyms: CD120; CD120a; FPF; p5; p55; p55-R; TN; Tnf; TNF-a; TNF-a; TNF-alphaR1; TNF-R-I; TNF-R-I; TNF-

R1; TNF-R55; TNFal; TNFalpha-R1; TNFAR; TNFR; Tnfr-2; Tnfr1; TNFR60; TNFRI; TNFRp55







**Summary:** 

This gene encodes a member of the TNF receptor superfamily of proteins. The encoded receptor is found in membrane-bound and soluble forms that interact with membrane-bound and soluble forms, respectively, of its ligand, tumor necrosis factor alpha. Binding of membrane-bound tumor necrosis factor alpha to the membrane-bound receptor induces receptor trimerization and activation, which plays a role in cell survival, apoptosis, and inflammation. Proteolytic processing of the encoded receptor results in release of the soluble form of the receptor, which can interact with free tumor necrosis factor alpha to inhibit inflammation. Mice lacking a functional copy of this gene exhibit impaired immune function. [provided by RefSeq, Sep 2016]