

Product datasheet for **TP721076XL**

Lymphotactin (XCL1) (NM_002995) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Human chemokine (C motif) ligand 1 (XCL1)
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	Val22-Gly114
Tag:	C-Fc&His
Predicted MW:	40.4 kDa
Concentration:	lot specific
Purity:	>95% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	Provided lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl
Endotoxin:	Endotoxin level is < 0.1 ng/µg of protein (< 1 EU/µg)
Reconstitution Method:	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the lyophilized protein in ddH ₂ O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Storage:	Store at -80°C.
Stability:	Stable for at least 6 months from date of receipt under proper storage and handling conditions.
RefSeq:	NP_002986
Locus ID:	6375
UniProt ID:	P47992
RefSeq Size:	1367
Cytogenetics:	1q24.2
RefSeq ORF:	342
Synonyms:	ATAC; LPTN; LTN; SCM-1; SCM-1a; SCM1; SCM1A; SCYC1



[View online »](#)

- Summary:** This antimicrobial gene encodes a member of the chemokine superfamily. Chemokines function in inflammatory and immunological responses, inducing leukocyte migration and activation. The encoded protein is a member of the C-chemokine subfamily, retaining only two of four cysteines conserved in other chemokines, and is thought to be specifically chemotactic for T cells. This gene and a closely related family member are located on the long arm of chromosome 1. [provided by RefSeq, Sep 2014]
- Protein Families:** Druggable Genome, Secreted Protein
- Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction