

Product datasheet for TP721171L

ITLN1 (NM_017625) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins Description: Purified recombinant protein of Human intelectin 1 (galactofuranose binding) (ITLN1) Species: Human E. coli **Expression Host: Expression cDNA Clone** Thr19-Ser298 or AA Sequence: N-His Tag: Predicted MW: 32.7 kDa **Concentration:** lot specific **Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining **Buffer:** Lyophilized from a 0.2 um filtered solution of 20mM Tris-HCI, 50mM NaCl, 2mM EDTA, 5% Trehalose, pH 8.0. Endotoxin: Endotoxin level is $< 0.1 \text{ ng/}\mu\text{g}$ of protein ($< 1 \text{ EU/}\mu\text{g}$) **Reconstitution Method:** Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Storage: Lyophilized protein should be stored at $< -20^{\circ}$ C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliguots of reconstituted samples are stable at < -20°C for 3 months. Stability: Stable for at least 6 months from date of receipt under proper storage and handling conditions. **RefSeq:** NP 060095 55600 Locus ID: **UniProt ID:** Q8WWA0 **RefSeq Size:** 1209 Cytogenetics: 1q23.3 **RefSeq ORF:** 939



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	ITLN1 (NM_017625) Human Recombinant Protein – TP721171L
Synonyms:	hIntL; HL-1; HL1; INTL; ITLN; LFR; omentin
Summary:	Lectin that specifically recognizes microbial carbohydrate chains in a calcium-dependent manner (PubMed:11313366, PubMed:26148048). Binds to microbial glycans that contain a terminal acyclic 1,2-diol moiety, including beta-linked D-galactofuranose (beta-Galf), D- phosphoglycerol-modified glycans, D-glycero-D-talo-oct-2-ulosonic acid (KO) and 3-deoxy-D- manno-oct-2-ulosonic acid (KDO) (PubMed:26148048). Binds to glycans from Gram-positive and Gram-negative bacteria, including K.pneumoniae, S.pneumoniae, Y.pestis, P.mirabilis and P.vulgaris (PubMed:26148048). Does not bind human glycans (PubMed:26148048). Probably plays a role in the defense system against microorganisms (Probable). May function as adipokine that has no effect on basal glucose uptake but enhances insulin-stimulated glucose uptake in adipocytes (PubMed:16531507). Increases AKT phosphorylation in the absence and presence of insulin (PubMed:16531507). May interact with lactoferrin/LTF and increase its uptake, and may thereby play a role in iron absorption (PubMed:11747454, PubMed:23921499).[UniProtKB/Swiss-Prot Function]
Protein Familie	Druggable Genome, Secreted Protein

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US