

Product datasheet for TP721185M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

FGF1 (NM 000800) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human fibroblast growth factor 1 (acidic) (FGF1), transcript

variant 1

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

Ala2-Asp155

Tag:Tag FreePredicted MW:31.6 kDaConcentration:lot specific

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Provided lyophilized from a 0.2 μm filtered solution of 20 mM Tris-HCl, 150 mM NaCl

Endotoxin: Endotoxin level is < 0.1 ng/μg of protein (< 1 EU/μg)

Reconstitution Method: Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the

lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Storage: Store at -80°C.

Stability: Stable for at least 6 months from date of receipt under proper storage and handling

conditions.

RefSeq: <u>NP 000791</u>

 Locus ID:
 2246

 UniProt ID:
 P05230

 RefSeq Size:
 4162

 Cytogenetics:
 5q31.3

 RefSeq ORF:
 465

Synonyms: AFGF; ECGF; ECGF-beta; ECGFA; ECGFB; FGF-1; FGF-alpha; FGFA; GLIO703; HBGF-1; HBGF1





FGF1 (NM_000800) Human Recombinant Protein - TP721185M

Summary: The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family.

FGF family members possess broad mitogenic and cell survival activities, and are involved in

a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein functions as a

modifier of endothelial cell migration and proliferation, as well as an angiogenic factor. It acts as a mitogen for a variety of mesoderm- and neuroectoderm-derived cells in vitro, thus is thought to be involved in organogenesis. Multiple alternatively spliced variants encoding

different isoforms have been described. [provided by RefSeq, Jan 2009]

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton