

# Product datasheet for TP721188M

## UBE2D1 (NM\_003338) Human Recombinant Protein

### **Product data:**

#### **Product Type: Recombinant Proteins Description:** Purified recombinant protein of Human ubiquitin-conjugating enzyme E2D 1 (UBE2D1), transcript variant 1 Species: Human **Expression Host:** E. coli **Expression cDNA Clone** Met1-Met147 or AA Sequence: N-GST Tag: Predicted MW: 42.9 kDa **Concentration:** lot specific **Purity:** >95% as determined by SDS-PAGE and Coomassie blue staining **Buffer:** Provided lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 150 mM NaCl Endotoxin: Endotoxin level is $< 0.1 \text{ ng/}\mu\text{g}$ of protein ( $< 1 \text{ EU/}\mu\text{g}$ ) Store at -80°C. Storage: Stable for at least 6 months from date of receipt under proper storage and handling Stability: conditions. RefSeq: NP 003329 Locus ID: 7321 **UniProt ID:** P51668, A0A024QZ|2 **RefSeq Size:** 2669 Cytogenetics: 10q21.1 **RefSeq ORF:** 441 Synonyms: E2(17)KB1; SFT; UBC4/5; UBCH5; UBCH5A



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	UBE2D1 (NM_003338) Human Recombinant Protein – TP721188M
Summary:	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin- conjugating enzyme family. This enzyme is closely related to a stimulator of iron transport (SFT), and is up-regulated in hereditary hemochromatosis. It also functions in the ubiquitination of the tumor-suppressor protein p53 and the hypoxia-inducible transcription factor HIF1alpha by interacting with the E1 ubiquitin-activating enzyme and the E3 ubiquitin- protein ligases. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2011]
Protein Pathway	<b>ys:</b> Ubiquitin mediated proteolysis

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US