

Product datasheet for TP721201

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SLP76 (LCP2) (NM_005565) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Human lymphocyte cytosolic protein 2 (SH2 domain

containing leukocyte protein of 76kDa) (LCP2)

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

Met1-Pro533

Tag: N-T7&C-His

Predicted MW: 62.6 kDa

Purity: >95% as determined by SDS-PAGE and Coomassie blue staining

Buffer: Supplied as a 0.2 um filtered solution of 20mM Tris-HCl, 200mM NaCl, 20% Glycerol, pH 8.5.

Endotoxin: Endotoxin level is < 0.1 ng/µg of protein (< 1 EU/µg)

Storage: Store at < -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles.

Stability: Stable for at least 3 months from date of receipt under proper storage and handling

conditions.

RefSeq: NP 005556

Locus ID: 3937

UniProt ID: <u>Q13094</u>

RefSeq Size: 2472

Cytogenetics: 5q35.1 RefSeq ORF: 1599

Synonyms: IMD81; SLP-76; SLP76



SLP76 (LCP2) (NM_005565) Human Recombinant Protein - TP721201

Summary: This gene encodes an adapter protein that acts as a substrate of the T cell antigen receptor

(TCR)-activated protein tyrosine kinase pathway. The encoded protein associates with growth factor receptor bound protein 2, and is thought to play a role TCR-mediated intracellular signal transduction. A similar protein in mouse plays a role in normal T-cell development and

activation. Mice lacking this gene show subcutaneous and intraperitoneal fetal hemorrhaging,

dysfunctional platelets and impaired viability. [provided by RefSeq, Nov 2016]

Protein Pathways: Fc epsilon RI signaling pathway, Natural killer cell mediated cytotoxicity, T cell receptor

signaling pathway