

Product datasheet for TP721346

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Biotinylated Human Trop2 Protein (C-Fc-Avi)

Species: Human CHO **Expression Host:**

Expression cDNA Clone

Gln31-Thr274

or AA Sequence:

C-Fc-Avi

Tag:

Predicted MW: The protein has a predicted molecular weight of 56kDa and migrates at approximately 65-

75kDa on SDS-PAGE with DTT-reduced condition.

Concentration: 25μg size is bottled at 0.2mg/mL concentration. 100 μg size is bottled at lot specific

concentration.

>90% **Purity:**

Conjugation: Biotin

Buffer: 1xPBS buffer, pH7.4

Bioactivity: Positive

> The definition of the active protein (purified and biotinylated) is defined as the protein that can bind to its biological receptor/ligand. For conjugated protein, it is defined with its function

to bind to the ScFv of the active CAR-transfected cells in flow cytometry test.

Preparation: Affinity Protein A

Applications: ELISA

Storage: An unopened vial can be stored at 4°C for 2 weeks or at -20°C and below for six months. This

stock solution should be aliquoted and stored at \leq -70°C to minimize the freeze/thaw cycles.

Stability: 6 Months

RefSeq: NP 002344.2

Locus ID: 4070 UniProt ID: P09758







Summary:

Human TROP-2 protein is a type I cell surface glycoprotein highly expressed in a wide variety of human carcinomas. It is also referred to as tumor-associated calcium signal transducer 2 (TACSTD2), gp50, GA733-1 or M1S1. TROP-2 transduces an intracellular calcium signal, which are consistent with the hypothesis that it acts as a cell surface receptor and support a search for a physiological ligand.