

## **Product datasheet for TP721418**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **PROM1 Human Recombinant Protein, Synthetic Nanodisc**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant Human PROM1 full length protein-Synthetic Nanodisc, 10μg

Species: Human
Expression Host: HEK293

**Expression cDNA Clone** 

or AA Sequence:

C-terminal Flag tagged overexpression cDNA clone

Tag: C-term Flag Tag

Predicted MW: The human full length PROM1 protein has a MW of 97.2 kDa

**Concentration:** Please refer to the Certificate of Analysis (COA) for the lot-specific concentration before

lyophilization.

**Purity:** The purity of the protein is determined by SDS-PAGE and Coomassie blue staining.

Buffer: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).

Normally 5% - 8% trehalose is added as protectants before lyophilization. Do not use solvents

with pH lower than 6.5 in subsequent experiments.

**Preparation:** Affinity purification

Storage: Store at -20°C to -80°C for 12 months in lyophilized form.

**Stability:** After reconstitution, if not intended for use within a month, aliquot and store at -80°C. Avoid

repeated freezing and thawing.

Locus ID: 8842
UniProt ID: <u>043490</u>

\_\_\_\_\_

Synonyms: AC133; CD133; CORD12; MCDR2; MSTP061; PROML1; RP41; STGD4

**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction





## **Product images:**




Figure 2. Human PROM1-Nanodisc, Flag Tag on SDS-PAGE

ELISA assay to evaluate PROM1-Nanodisc 0.2µg Human PROM1-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag PROM1-Nanodisc (0.2µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with PROM1-Nanodisc is 5.105ng/ml.