

Product datasheet for TP723924

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BCMA (TNFRSF17) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Human BCMA Protein, hFc-His Tag

Species: Human Expression Host: HEK293

Expression cDNA Clone

or AA Sequence:

Tag: C-Human Fc and 6×His

Predicted MW: 32.7 kDa
Purity: > 95%

Buffer: Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants

before lyophilization

Reconstitution Method: Reconstitute with deionized water

Preparation: Affinity purification

Applications: ELISA

Storage: Store the lyophilized protein at -20°C.

After reconstitution, store the protein at -80°C for 12 months.

Avoid repeated freezing and thawing.

Stability: 12 months from date of despatch

Locus ID: 608

UniProt ID: Q02223

Summary: B-cell maturation protein (BCMA or BCM), is also known as Tumor necrosis factor receptor

superfamily member 17 (TNFRSF17), which is encoded by the TNFRSF17 gene. TNFRSF17 is a cell surface receptor of the TNF receptor superfamily which recognizes B-cell activating factor (BAFF). This receptor is expressed in immune organs and mature B cell lines. BCMA promotes B-cell survival and plays a role in the regulation of humoral immunity. BCMA can activate NF-

kappa-B and JNK.





Product images:




Figure 1. Human BCMA, hFc-His Tag on SDS-PAGE under reducing condition.

Human BCMA, hFc-His Tagged protein ELISA

 $0.2~\mu g$ of Human BCMA, hFc-His Tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human BCMA, hFc-His tagged protein can bind Anti-BCMA (Neutralizing antibody clone huC11D5.3)Â (BME100016) in a linear range of 3.71-22.29 ng/ml.