

## **Product datasheet for TP724273**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## **Human STAB1 Protein, hFc Tag**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Human STAB1 Protein, hFc Tag

**Expression Host:** HEK293

Tag: C-Human Fc

**Predicted MW:** The protein has a predicted molecular mass of 66.7 kDa after removal of the signal peptide.

The apparent molecular mass of STAB1-hFc is approximately 70-100 kDa due to glycosylation.

**Purity:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie

blue staining.

**Reconstitution Method:** Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants

before lyophilization.

Storage: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

**Stability:** 12 months from date of despatch

**Summary:** This gene encodes a large, transmembrane receptor protein which may function in

angiogenesis, lymphocyte homing, cell adhesion, or receptor scavenging. The protein contains 7 fasciclin, 16 epidermal growth factor (EGF)-like, and 2 laminin-type EGF-like domains as well as a C-type lectin-like hyaluronan-binding Link module. The protein is primarily expressed on sinusoidal endothelial cells of liver, spleen, and lymph node. The receptor has been shown to endocytose ligands such as low density lipoprotein, Grampositive and Gram-negative bacteria, and advanced glycosylation end products. Supporting its possible role as a scavenger receptor, the protein rapidly cycles between the plasma

membrane and early endosomes. [provided by RefSeq, Jul 2008]

