

## **Product datasheet for TP724495**

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Human CHRM2 Protein, hFc Tag**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Human CHRM2 Protein, hFc Tag

**Expression Host:** HEK293

Tag: C-Human Fc

**Predicted MW:** The protein has a predicted molecular mass of 28.6 kDa after removal of the signal peptide.

The apparent molecular mass of CHRM2-hFc is approximately 35-55 kDa due to glycosylation.

**Purity:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie

blue staining.

**Reconstitution Method:** Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants

before lyophilization.

Storage: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

**Stability:** 12 months from date of despatch

Synonyms: HM2

**Summary:** The muscarinic cholinergic receptors belong to a larger family of G protein-coupled receptors.

The functional diversity of these receptors is defined by the binding of acetylcholine to these

receptors and includes cellular responses such as adenylate cyclase inhibition,

phosphoinositide degeneration, and potassium channel mediation. Muscarinic receptors influence many effects of acetylcholine in the central and peripheral nervous system. The muscarinic cholinergic receptor 2 is involved in mediation of bradycardia and a decrease in cardiac contractility. Multiple alternatively spliced transcript variants have been described for

this gene. [provided by RefSeq, Jul 2008]

