

Product datasheet for TP724591M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IBSP (17-317, His-Tag) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant human IBSP/Sialoprotein II protein

Species: Human Expression Host: HEK293

Expression cDNA Clone

or AA Sequence:

FSMKNLHRRV KIEDSEENGV FKYRPRYYLY KHAYFYPHLK RFPVQGSSDS SEENGDDSSE EEEEEEETSN EGENNEESNE DEDSEAENTT LSATTLGYGE DATPGTGYTG LAAIQLPKKA GDITNKATKE KESDEEEEEE EEGNENEESE AEVDENEQGI NGTSTNSTEA ENGNGSSGGD NGEEGEESV TGANAEDTTE TGRQGKGTSK TTTSPNGGFE PTTPPQVYRT TSPPFGKTTT VEYEGEYEYT GANEYDNGYE IYESENGEPR GDNYRAYEDE YSYFKGQGYD GYDGQNYYHH Q

Tag: His-Tag

Predicted MW: 34.3kDa (307aa)

Concentration: 0.5mg/ml (determined by Absorbance at 280nm)

Purity: > 90% by SDS-PAGE

Buffer: Liquid in. Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

Bioactivity: Measured by the ability of the immobilized protein to support the adhesion of MCF7 human

breast cancer cells. When cells are added to Human IBSP coated plates 3 ug/ml. This effect is

more to 40%.

Endotoxin: < 1 EU per 1ug of protein (determined by LAL method)

Applications: SDS-PAGE, Bioactivity

Storage: Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -

80C. Avoid repeated freezing and thawing cycles.

RefSeq: NP 004958.2

Summary: IBSP, also known as Sialoprotein II, is a monomeric noncollagenous member of the SIBLING

family of extracellular matrix (ECM) proteins. It is synthesized by platelets, osteoblasts, osteocytes, odontoblasts, osteoclasts and bone marrow stromal cells. It is a key mediator of the hypertrophic chondrocytes-induced angiogenesis. It was associated with the severity of histological cartilage lesions and with vascular density at the osteochondral junction.

Recombinant human IBSP/Sialoprotein II, fused to His-tag at C-terminus, was expressed in

HEK293 cell and purified by using conventional chromatography techniques.

