

## **Product datasheet for TP726592**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Gpc3 Mouse Recombinant Protein**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant Mouse GPC3 (C-6His)

Species: Mouse

**Expression cDNA Clone** 

or AA Sequence:

Gln25-Met557

Tag: C-6His

**Buffer:** Lyophilized from a 0.2 um filtered solution of PBS, 5% Trehalose, pH7.4.

**Note:** Recombinant Mouse Glypican-3 is produced by our Mammalian expression system and the

target gene encoding Gln25-Met557 is expressed with a 6His tag at the C-terminus.

**Storage:** Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Stability:** 12 months from date of despatch

Locus ID: 14734 UniProt ID: 08CFZ4

Synonyms: Glypican-3; GTR2-2; Intestinal protein OCI-5; MXR7; GPC3; OCI5

**Summary:** Glypican-3/GPC3 is a member of the glypican family. It belongs to the glypican family and is

highly expressed in lung, liver, and kidney. It is a heparan sulfate proteoglycan, which is overexpressed in various neoplasms such as hepatocellular carcinoma, malignant melanoma, and testicular yolk sac tumor, and plays an important role in cell growth and differentiation. GPC3 function is tissue dependent. In some tissues, GPC3 acts as a tumor suppressor gene, whereas in others, it acts as an oncofetal protein. GPC3 is a reliable marker for hepatocellular carcinoma. The sensitivity and specificity exceeds both alpha-fetoprotein and hepatocyte-paraffin1. GPC3 immunohistochemistry can aid in the differentiation of testicular germ cell tumors, being expressed in all yolk sac tumors but not in seminomas. GPC3 expression has also been identified in some squamous cell carcinomas of the lung and clear cell carcinomas of the ovary. Glypican-3 is currently regarded as a tumor marker and potential target for

immunotherapy.

