

## **Product datasheet for TP726609**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Angiopoietin 2 (ANGPT2) Human Recombinant Protein**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant Human ANG2 (C-6His)

Species: Human

**Expression cDNA Clone** 

or AA Sequence:

Lys275-Phe496

Tag: C-6His

Buffer: Lyophilized from a 0.2 um filtered solution of 20 mM HEPES, 150 mM NaCl, 0.1% CHAPS, pH

7.5.

Note: Recombinant Human Angiopoietin-2 is produced by our Mammalian expression system and

the target gene encoding Lys275-Phe496 is expressed with a 6His tag at the C-terminus.

Stability: 12 months from date of despatch

Locus ID: 285

UniProt ID: 015123

Summary: Angiopoietin-2 (Ang-2; also ANGPT2) is a secreted glycoprotein that plays a complex role in

angiogenesis and inflammation. Both Ang-2 and the related Angiopoietin-1 (Ang-1) are ligands for the receptor tyrosine kinase Tie-2. While Ang-1 is a potent Tie 2 agonist, Ang-2 may act as either a Tie-2 antagonist or agonist, depending upon its state of multimerization. The higher the order of oligomer, the more effective Ang-2 becomes as a Tie-2 agonist. The short isoform appears to block the binding of either Ang-1 or full-length Ang-2 to Tie-2. Ang-2 functions as a pro-angiogenic factor, although it can also induce EC death and vessel regression. Upon its release from quiescent EC, it regulates vascular remodeling by promoting EC survival, proliferation, and migration and destabilizing the interaction between EC and perivascular cells. In addition, ANG-2 is strongly expressed in the vasculature of many tumors and it has been suggested that ANG-2 may act synergistically with other cytokines such as vascular endothelial growth factor to promote tumor-associated Angiogenesis and tumor progression.