

Product datasheet for **TP726808**

Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant Human Leukocyte Ig-Like Receptor B1/LILRB1/ILT2/CD85j (C-6His)
Species:	Human
Expression cDNA Clone or AA Sequence:	Gly24-His458
Tag:	C-His
Buffer:	Lyophilized from a 0.2 um filtered solution of 20mM PB, 150mM NaCl, pH 7.4.
Note:	Recombinant Human Leukocyte Immunoglobulin-Like Receptor Subfamily B Member 1 is produced by our Mammalian expression system and the target gene encoding Gly24-His458 is expressed with a 6His tag at the C-terminus.
Storage:	Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Stability:	12 months from date of despatch
Synonyms:	Leukocyte Immunoglobulin-Like Receptor Subfamily B Member 1; LIR-1; Leukocyte Immunoglobulin-Like Receptor 1; CD85 Antigen-Like Family Member J; Immunoglobulin-Like Transcript 2; ILT-2; Monocyte/Macrophage Immunoglobulin-Like Receptor 7; MIR-7; CD85j; LILRB1; ILT2; LIR1; MIR7
Summary:	The immunoglobulin-like transcript (ILT) family (also named leukocyte Ig-like receptors (LIR) and monocyte/macrophage Ig-like receptors (MIR)) can be activating and inhibitory immunoreceptors. ILTs are expressed on many leukocyte subsets and regulators of immune responses . ILTs share significant homology with killer cell Ig-like receptors (KIR). Except ILT-6, all ILT family members are type I transmembrane proteins having two or four extracellular Ig-like domains . ILT2 is expressed on most monocytes,dendritic cells,and mature B cells. ILT2 is also expressed on small percentages of T-cells and NK cells. ILT2 can prevents cellular activation.



[View online »](#)