

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for TP726978

## Carboxypeptidase B2 (CPB2) Human Recombinant Protein

## **Product data:**

Product Type:	Recombinant Proteins
Description:	Recombinant Human Carboxypeptidase B2/CPB2 (C-6His)
Species:	Human
Expression cDNA Clone or AA Sequence:	Phe23-Val423
Tag:	C-His
Buffer:	Supplied as a 0.2 um filtered solution of 20mM Tris-HCl, 150mM NaCl, 1mM ZnCl2, 10% Glycerol, pH 7.5.
Note:	Recombinant Human Carboxypeptidase B2 is produced by our Mammalian expression system and the target gene encoding Phe23-Val423 is expressed with a 6His tag at the C-terminus.
Storage:	Store at < -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles.
Stability:	12 months from date of despatch
Locus ID:	1361
UniProt ID:	<u>Q96IY4</u>
Summary:	Carboxypeptidase B2 (CPB2) is a secreted enzyme that belongs to the peptidase M14 family. CPB2 is synthesized by the liver and circulates in the plasma as a plasminogen-bound zymogen by the liver and circulates in the plasma as a plasminogen-bound zymogen. CPB2 cleaves C-terminal arginine or lysine residues from biologically active peptides, such as kinins or anaphylatoxins, in the circulation regulating their activities. CPB2 also down-regulates fibrinolysis by removing C-terminal lysine residues from fibrin that has already been partially degraded by plasmin. CPB2 exhibits carboxypeptidase activity when it is activated by proteolysis at residue Arg92 of the thrombin/thrombomodulin complex. Activated CPB2 reduces fibrinolysis by removing the fibrin C-terminal residues that are important for the binding and activation of plasminogen.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US