

## **Product datasheet for TP727157**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Il23a Mouse Recombinant Protein**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant Mouse Interleukin-23/IL-23 (C-6His)

**Species:** Mouse

**Expression cDNA Clone** 

or AA Sequence:

Val22-Ala196&Met23-Ser335

Tag: C-His

**Buffer:** Lyophilized from a 0.2 um filtered solution of PBS, pH 7.4.

**Note:** Recombinant Mouse Interleukin-23 is produced by our Mammalian expression system and

the target gene encoding Val22-Ala196&Met23-Ser335 is expressed with a 6His tag at the C-

terminus.

**Storage:** Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Stability:** 12 months from date of despatch

Locus ID: 83430 UniProt ID: Q9EQ14

**Synonyms:** SGRF;IL-23p19;CLMF p40;IL-12 subunit p40;NKSF2

Summary: Interleukin 23 (IL-23) is a heterodimeric cytokine composed of two disulfide-linked subunits, a

p19 subunit that is unique to IL-23, and a p40 subunit that is shared with IL-12. The p19 subunit has homology to the p35 subunit of IL-12, as well as to other single chain cytokines such as IL-6 and IL-11. The p40 subunit is homologous to the extracellular domains of the hematopoietic cytokine receptors. Although p19 is expressed by activated macrophages, dendritic cells, T cells, and endothelial cells, only activated macrophages and dendritic cells express p40 concurrently to produce IL-23. IL-23 has biological activities that are similar to, but distinct from IL-12. Both IL-12 and IL-23 induce proliferation and IFN-gamma production by human T cells. While IL-12 acts on both naive and memory human T cells, the effects of IL-

23 is restricted to memory T cells.

