

## Product datasheet for **TP727392**

### Mouse Recombinant Protein

#### Product data:

<b>Product Type:</b>	Recombinant Proteins
<b>Description:</b>	Recombinant Mouse IL-1 Receptor-Like 1/IL-1RL1/IL-1 R4 (C-Fc)
<b>Species:</b>	Mouse
<b>Expression cDNA Clone or AA Sequence:</b>	Ser27-Ala337
<b>Tag:</b>	C-Fc
<b>Buffer:</b>	Lyophilized from a 0.2 um filtered solution of PBS, pH 7.4.
<b>Note:</b>	Recombinant Mouse Interleukin-1 receptor-like 1 is produced by our Mammalian expression system and the target gene encoding Ser27-Ala337 (Val192Ala) is expressed with a Fc tag at the C-terminus.
<b>Storage:</b>	Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Stability:</b>	12 months from date of despatch
<b>Synonyms:</b>	Interleukin-1 receptor-like 1; Lymphocyte antigen 84; Protein ST2; Protein T1; Il1rl1; DER4; Fit-1; IL-1 R4; IL-1RL1; IL-33R; Ly84; ST2L; ST2V; suppression of tumorigenicity 2
<b>Summary:</b>	ST2, also called IL-1 R4, is an Interleukin-1 receptor family glycoprotein that plays a role in Th2 immune responses. ST2 is expressed on the surface of mast cells, activated Th2 cells, macrophages, and cardiac myocytes. This receptor is very similar to the IL-1 receptor type I and the IL-18 receptor $\beta$ chain in that ST2 also has three extracellular Ig domains and an intracellular Toll domain. ST2 binds IL-33, enhances inflammatory cytokines by activating nuclear factor- $\kappa$ B (NF- $\kappa$ B) and mitogen activated protein (MAP) kinases. ST2 exists as either a membrane bound form (ST2L) or as a soluble form (sST2). ST2L acts as a transmembrane signalling receptor for IL-33 by mediating the effect of IL-33 on the inflammatory process, while sST2 can suppress IL-33 activity.



[View online »](#)