

Product datasheet for TP727551

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MCSF Receptor (CSF1R) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant Human Macrophage Receptor/M-CSF R/CSF1R/CD115(C-6His)

Species: Human

Expression cDNA Clone

or AA Sequence:

Ile20-Pro517

Tag: C-His

Buffer: Lyophilized from a 0.2 um filtered solution of PBS, pH 7.4.

Note: Recombinant Human Macrophage Colony-stimulating Factor 1 Receptor is produced by our

Mammalian expression system and the target gene encoding Ile20-Pro517 is expressed with

a 6His tag at the C-terminus.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: 12 months from date of despatch

Locus ID: 1436 **UniProt ID:** P07333

Summary: Macrophage colony-stimulating factor 1 receptor (CSF1R) is a member of the type III

subfamily of receptor tyrosine kinases that also includes receptors for SCF and PDGF. These receptors each contain five immunoglobulin-like domains in their extracellular domain (ECD) and a split kinase domain in their intracellular region. CSF1R is expressed primarily on cells of the monocyte/macrophage lineage, dendritic cells, stem cells and in the developing placenta. CSF1 and its receptor (CSF1R, product of c-fms proto-oncogene) were initially implicated as essential for normal monocyte development as well as for trophoblastic implantation. It plays an important role in the regulation of osteoclast proliferation and differentiation, the regulation of bone resorption, and is required for normal bone and tooth development. It is required for normal male and female fertility, and for normal development of milk ducts and acinar structures in the mammary gland during pregnancy. Aberrant expression of CSF1 or CSF1R may play a role in inflammatory diseases, such as rheumatoid

arthritis, glomerulonephritis, atherosclerosis, and allograft rejection.

